

L Number	Hits	Search Text	DB	Time stamp
-	12	low with full with power with state and data adj packet	USPAT; US-PGPUB	2003/01/16 17:26
-	44	low adj power adj state and full adj power adj state	USPAT; US-PGPUB	2002/12/17 16:36
-	155	low adj power adj (mode state) and full adj power adj (mode state)	USPAT; US-PGPUB	2002/12/17 16:37
-	60	(low adj power adj (mode state) and full adj power adj (mode state)) and (transmitter receiver)	USPAT; US-PGPUB	2002/12/17 16:42
-	34	(low adj power adj (mode state) and full adj power adj (mode state)) and (transmitter and receiver)	USPAT; US-PGPUB	2002/12/17 16:46
-	1334	(low full) near3 power near3 state and transmit	USPAT; US-PGPUB	2003/01/16 17:29
-	888	@ad<=19980930 and ((low full) near3 power near3 state and transmit)	USPAT; US-PGPUB	2003/01/29 13:01
-	566	(low full state) near3 power with transition and transmit	USPAT; US-PGPUB	2003/01/16 17:31
-	267	(low full state) near3 power with transition and transmitter	USPAT; US-PGPUB	2003/01/16 17:32
-	42	(low full) near3 power near3 state with transition and transmitter	USPAT; US-PGPUB	2003/01/16 17:34
-	66	(low full) near3 power near3 (mode state) with transition and transmitter	USPAT; US-PGPUB	2003/01/16 17:36
-	55	@ad<=19980930 and ((low full) near3 power near3 (mode state) with transition and transmitter)	USPAT; US-PGPUB	2003/01/16 17:35
-	6	(low full) near3 power near3 (mode state) with transition and re\$1transmit\$3	USPAT; US-PGPUB	2003/01/16 17:38
-	3	@ad<=19980930 and ((low full) near3 power near3 (mode state) with transition and re\$1transmit\$3)	USPAT; US-PGPUB	2003/01/16 17:37
-	316	(low full) near3 power near3 (mode state) and re\$1transmit\$3	USPAT; US-PGPUB	2003/01/16 17:44
-	199	@ad<=19980930 and ((low full) near3 power near3 (mode state) and re\$1transmit\$3)	USPAT; US-PGPUB	2003/01/16 17:39
-	1972	(low full sleep) near3 (mode state) and re\$1transmit\$3	USPAT; US-PGPUB	2003/01/27 10:18
-	71	(low full sleep) near3 (mode state).ab. and re\$1transmit\$3	USPAT; US-PGPUB	2003/01/16 17:46
-	168	(low full sleep) near3 (mode state).clm. and re\$1transmit\$3	USPAT; US-PGPUB	2003/01/16 17:46
-	203	((low full sleep) near3 (mode state).ab. and re\$1transmit\$3) ((low full sleep) near3 (mode state).clm. and re\$1transmit\$3)	USPAT; US-PGPUB	2003/01/16 17:46
-	152	((((low full sleep) near3 (mode state).ab. and re\$1transmit\$3) ((low full sleep) near3 (mode state).clm. and re\$1transmit\$3)) and @ad<=19980930	USPAT; US-PGPUB	2003/01/16 17:46
-	1541	(low full sleep) near3 (mode state) and power and re\$1transmit\$3	USPAT; US-PGPUB	2003/01/16 17:48
-	526	(low full sleep) near3 (mode state) same power and re\$1transmit\$3	USPAT; US-PGPUB	2003/01/16 18:17
-	357	((low full sleep) near3 (mode state) same power and re\$1transmit\$3) and @ad<=19980930	USPAT; US-PGPUB	2003/01/16 17:59
-	184	((((low full sleep) near3 (mode state) same power and re\$1transmit\$3) and @ad<=19980930) and detect\$5 and interrupt\$5	USPAT; US-PGPUB	2003/01/16 18:24
-	2	(((((low full sleep) near3 (mode state) same power and re\$1transmit\$3) and @ad<=19980930) and detect\$5 and interrupt\$5) and eoc	USPAT; US-PGPUB	2003/01/16 18:07
-	121	((low full sleep) near3 (mode state)).clm. and power and re\$1transmit\$3	USPAT; US-PGPUB	2003/01/16 18:23
-	56	((low full sleep) near3 (mode state)).ab. and power and re\$1transmit\$3	USPAT; US-PGPUB	2003/01/16 18:23

-	152	((low full sleep) near3 (mode state)).clm. and power and re\$1transmit\$3)	USPAT; US-PGPUB	2003/01/22 15:59
-	111	((low full sleep) near3 (mode state)).ab. and power and re\$1transmit\$3)	USPAT; US-PGPUB	2003/01/16 18:16
-	224	((low full sleep) near3 (mode state)).ab. and power and re\$1transmit\$3)) and @ad<=19980930 interrupt\$4 with re\$1transmit\$4	USPAT; US-PGPUB	2003/01/16 18:17
-	46	((low full sleep) near3 (mode state) and (interrupt\$4 with re\$1transmit\$4)	USPAT; US-PGPUB	2003/01/16 18:17
-	43	((low full sleep) near3 (mode state) and (interrupt\$4 with re\$1transmit\$4)) and @ad<=19980930	USPAT; US-PGPUB	2003/01/16 18:18
-	3075	((low full sleep) near3 (mode state)).ab. and power	USPAT; US-PGPUB	2003/01/16 18:22
-	6363	((low full sleep) near3 (mode state)).clm. and power	USPAT; US-PGPUB	2003/01/16 18:33
-	7928	((low full sleep) near3 (mode state)).ab. and power) ((low full sleep) near3 (mode state)).clm. and power)	USPAT; US-PGPUB	2003/01/16 18:24
-	1731	((low full sleep) near3 (mode state)).ab. and power) ((low full sleep) near3 (mode state)).clm. and power)) and detect\$5 and interrupt\$5	USPAT; US-PGPUB	2003/01/16 18:32
-	1279	((low full sleep) near3 (mode state)).ab. and power) ((low full sleep) near3 (mode state)).clm. and power)) and detect\$5 and interrupt\$5) and @ad<=19980930	USPAT; US-PGPUB	2003/01/16 18:26
-	263	((low full sleep) near3 (mode state)).ab. and power) ((low full sleep) near3 (mode state)).clm. and power)) and detect\$5 and interrupt\$5) and @ad<=19980930) and transmitter	USPAT; US-PGPUB	2003/01/16 18:26
-	392	((low full sleep) near3 (mode state)).ab. and power) ((low full sleep) near3 (mode state)).clm. and power)) and detect\$5 and interrupt\$5) and @ad<=19980930) and (receiver transmitter)	USPAT; US-PGPUB	2003/01/16 18:26
-	237	((low full sleep) near3 (mode state)).ab. and power) ((low full sleep) near3 (mode state)).clm. and power)) and detect\$5 and interrupt\$5) and @ad<=19980930) and (receiver and transmitter)	USPAT; US-PGPUB	2003/01/16 18:27
-	594	interrupt\$4 same re\$1trans\$6	USPAT; US-PGPUB	2003/01/16 18:33
-	70	((low full sleep) near3 (mode state)) and power and (interrupt\$4 same re\$1trans\$6)	USPAT; US-PGPUB	2003/01/16 18:34
-	56	((low full sleep) near3 (mode state)) and power and (interrupt\$4 same re\$1trans\$6)) and @ad<=19980930	USPAT; US-PGPUB	2003/01/17 16:56
-	56	((low full sleep) near3 (mode state)) and power and (interrupt\$4 same re\$1trans\$6)) and @ad<=19980930	USPAT; US-PGPUB	2003/01/17 16:55
-	8666	((low full sleep) near3 (mode state)).clm.	USPAT; US-PGPUB	2003/01/17 16:57
-	4149	((low full sleep) near3 (mode state)).ab.	USPAT; US-PGPUB	2003/01/17 16:57
-	1440	((low full sleep) near3 (mode state) and power).ab.	USPAT; US-PGPUB	2003/01/17 17:02
-	3364	((low full sleep) near3 (mode state) and power).clm.	USPAT; US-PGPUB	2003/01/17 17:03
-	4146	((low full sleep) near3 (mode state) and power).ab.) ((low full sleep) near3 (mode state) and power).clm.)	USPAT; US-PGPUB	2003/01/17 17:03

-	2939	(((((low full sleep) near3 (mode state) and power).ab.) (((low full sleep) near3 (mode state) and power).clm.)) and @ad<=19980930	USPAT; US-PGPUB	2003/01/17 17:04
-	1312	(((((low full sleep) near3 (mode state) and power).ab.) (((low full sleep) near3 (mode state) and power).clm.)) and @ad<=19980930) and (bitrate bit-rate rate)	USPAT; US-PGPUB	2003/01/17 17:05
-	114	(((((low full sleep) near3 (mode state) and power).ab.) (((low full sleep) near3 (mode state) and power).clm.)) and @ad<=19980930) and (bitrate bit-rate rate) and packet	USPAT; US-PGPUB	2003/01/17 17:07
-	1335	(((((low full sleep) near3 (mode state) and power).ab.) (((low full sleep) near3 (mode state) and power).clm.)) and @ad<=19980930) and transmi\$5 and receiv\$4	USPAT; US-PGPUB	2003/01/17 17:38
-	545	(((((low full sleep) near3 (mode state) and power).ab.) (((low full sleep) near3 (mode state) and power).clm.)) and @ad<=19980930) and transmi\$5 and receiv\$4) and interrupt\$5	USPAT; US-PGPUB	2003/01/17 17:09
-	77	(((((low full sleep) near3 (mode state) and power).ab.) (((low full sleep) near3 (mode state) and power).clm.)) and @ad<=19980930) and transmi\$5 and receiv\$4) and interrupt\$5) and packet	USPAT; US-PGPUB	2003/01/17 17:27
-	84	(((((low full sleep) near3 (mode state) and power).ab.) (((low full sleep) near3 (mode state) and power).clm.)) and @ad<=19980930) and transmi\$5 and receiv\$4) and re\$1transmi\$6	USPAT; US-PGPUB	2003/01/17 17:28
-	193	((((low full sleep) near3 (mode state) and power).ab.) (((low full sleep) near3 (mode state) and power).clm.)) and interrupt\$5 with (transmi\$5 retransmi\$6 re-transmi\$5)	USPAT; US-PGPUB	2003/01/17 17:45
-	4512	low adj2 power adj2 (state mode)	USPAT; US-PGPUB	2003/01/22 13:53
-	4536	(high full low) adj2 power adj2 (state mode) and (transmit receive)	USPAT; US-PGPUB	2003/01/22 13:55
-	961	(high full low) adj2 power adj2 (state mode) with (transmit\$4 receiv\$5)	USPAT; US-PGPUB	2003/01/22 15:08
-	607	((high full low) adj2 power adj2 (state mode) with (transmit\$4 receiv\$5)) and @ad<=19980930	USPAT; US-PGPUB	2003/01/22 14:00
-	50	((high full low) adj2 power adj2 (state mode) with (transmit\$4 receiv\$5)) and @ad<=19980930) and data adj packet	USPAT; US-PGPUB	2003/01/22 15:03
-	25	state adj2 transition adj2 (indicator indication)	USPAT; US-PGPUB	2003/01/22 15:04
-	0	((high full low) adj2 power adj2 (state mode) with (transmit\$4 receiv\$5)) and @ad<=19980930) and (state adj2 transition adj2 (indicator indication))	USPAT; US-PGPUB	2003/01/22 15:04
-	0	(low adj2 power adj2 (state mode)) and (state adj2 transition adj2 (indicator indication))	USPAT; US-PGPUB	2003/01/22 15:04
-	460	sleep adj2 (mode state) and (retransmi\$5 re-transmi\$5)	USPAT; US-PGPUB	2003/01/22 15:10
-	290	(sleep adj2 (mode state) and (retransmi\$5 re-transmi\$5)) and @ad<=19980930	USPAT; US-PGPUB	2003/01/22 15:12
-	163	((sleep adj2 (mode state) and (retransmi\$5 re-transmi\$5)) and @ad<=19980930) and packet	USPAT; US-PGPUB	2003/01/22 15:18
-	1733	(wakeup wake-up wake adj up) near3 (signal message)	USPAT; US-PGPUB	2003/01/22 15:20

-	40	((sleep adj2 (mode state) and (retransmi\$5 re-transmi\$5)) and @ad<=19980930) and packet) and ((wakeup wake-up wake adj up) near3 (signal message))	USPAT; US-PGPUB	2003/01/22 15:20
-	141207	(low high full sleep) near3 (mode state)	USPAT; US-PGPUB	2003/01/22 16:09
-	4586	((low high full sleep) near3 (mode state)) and packet and @ad<=19980930	USPAT; US-PGPUB	2003/01/22 16:02
-	1174	((low high full sleep) near3 (mode state)) and packet and @ad<=19980930) and (retransmi\$7 re-transmi\$7)	USPAT; US-PGPUB	2003/01/22 16:52
-	724	((low high full sleep) near3 (mode state)) and packet and @ad<=19980930) and (retransmi\$7 re-transmi\$7)) and transmitter and receiver	USPAT; US-PGPUB	2003/01/22 16:07
-	15	((low high full sleep) near3 (mode state)) and packet and @ad<=19980930) and (retransmi\$7 re-transmi\$7)) and transmitter and receiver) and (adsl dsl)	USPAT; US-PGPUB	2003/01/22 16:08
-	2132	((low high full) near3 power) sleep) near3 (mode state)).clm.	USPAT; US-PGPUB	2003/01/22 16:16
-	243	((low high full) near3 power) sleep) near3 (mode state)).clm.) and packet	USPAT; US-PGPUB	2003/01/22 16:15
-	243	((low high full) near3 power) sleep) near3 (mode state)).clm.) and packet) and ((low high full sleep) near3 (mode state))	USPAT; US-PGPUB	2003/01/22 16:15
-	4112	((low high full) near3 power) (standby sleep)) near3 (mode state)).clm.	USPAT; US-PGPUB	2003/01/22 16:18
-	151	((low high full) near3 power) (standby sleep)) near3 (mode state)).clm.) and packet and @ad<=19980930 and ((low high full sleep) near3 (mode state))	USPAT; US-PGPUB	2003/01/22 16:29
-	99	((low high full) near3 power) (standby sleep)) near3 (mode state)).clm.) and packet and @ad<=19980930 and ((low high full sleep) near3 (mode state))) and (transmitter receiver)	USPAT; US-PGPUB	2003/01/23 10:32
-	38	((low high full) near3 power) (standby sleep)) near3 (mode state)).clm.) and packet and @ad<=19980930 and ((low high full sleep) near3 (mode state))) and (transmitter receiver)) and (retransmi\$7 re-transmi\$7)	USPAT; US-PGPUB	2003/01/22 16:55
-	0	((low high full) near3 power) (standby sleep)) near3 (mode state)).clm.) and packet and @ad<=19980930 and ((low high full sleep) near3 (mode state))) and (transmitter receiver)) and interrupt\$5 with (retransmi\$7 re-transmi\$7)	USPAT; US-PGPUB	2003/01/22 16:56
-	35	@ad<=19980930 and packet and sleep and interrupt\$5 with (retransmi\$7 re-transmi\$7)	USPAT; US-PGPUB	2003/01/22 17:05
-	153	@ad<=19980930 and packet and interrupt\$5 with (retransmi\$7 re-transmi\$7)	USPAT; US-PGPUB	2003/01/22 17:11
-	9	("6320879") or ("6236674") or ("6167078") or ("6088600") or ("6085114") or ("4955038") or ("5963650") or ("6434395") or ("6049885")).PN.	USPAT; US-PGPUB	2003/01/22 17:12
-	11627	((low high full) near3 power) near3 (mode state)	USPAT; US-PGPUB	2003/01/23 10:35
-	24023	(sleep standby stand-by) adj2 (mode state)	USPAT; US-PGPUB	2003/01/23 10:35
-	32541	((low high full) near3 power) near3 (mode state)) ((sleep standby stand-by) adj2 (mode state))	USPAT; US-PGPUB	2003/01/23 10:35
-	960	interrupt\$5 same (retransmi\$7 re-transmi\$7)	USPAT; US-PGPUB	2003/01/23 10:55
-	95	((low high full) near3 power) near3 (mode state)) ((sleep standby stand-by) adj2 (mode state))) and (interrupt\$5 same (retransmi\$7 re-transmi\$7))	USPAT; US-PGPUB	2003/01/23 11:29

-	63	@ad<=19980930 and (((((low high full) near3 power) near3 (mode state)) ((sleep standby stand-by) adj2 (mode state))) and (interrupt\$5 same (retransmi\$7 re-transmi\$7)))	USPAT; US-PGPUB	2003/01/23 10:37
-	11780	interrupt\$5 with (transmi\$6 transfer\$4) with (data packet)	USPAT; US-PGPUB	2003/01/23 10:54
-	1179	(((low high full) near3 power) near3 (mode state)) ((sleep standby stand-by) adj2 (mode state))) and (interrupt\$5 with (transmi\$6 transfer\$4) with (data packet))	USPAT; US-PGPUB	2003/01/23 10:54
-	882	@ad<=19980930 and (((((low high full) near3 power) near3 (mode state)) ((sleep standby stand-by) adj2 (mode state))) and (interrupt\$5 with (transmi\$6 transfer\$4) with (data packet)))	USPAT; US-PGPUB	2003/01/23 10:55
-	136	(@ad<=19980930 and (((((low high full) near3 power) near3 (mode state)) ((sleep standby stand-by) adj2 (mode state))) and (interrupt\$5 with (transmi\$6 transfer\$4) with (data packet)))) and (retransmi\$7 re-transmi\$7)	USPAT; US-PGPUB	2003/01/23 11:29
-	21948	(((low high full) near3 power) near3 (mode state)) ((sleep standby stand-by) adj2 (mode state))) and @ad<=19980930	USPAT; US-PGPUB	2003/01/23 11:29
-	913	(((low high full) near3 power) near3 (mode state)) ((sleep standby stand-by) adj2 (mode state))) and @ad<=19980930) and (retransmi\$7 re-transmi\$7)	USPAT; US-PGPUB	2003/01/23 11:29
-	8767	(low full sleep) near3 (mode state) with (transmit\$5 receiv\$5)	USPAT; US-PGPUB	2003/01/27 10:21
-	766	((low full sleep) near3 (mode state) with (transmit\$5 receiv\$5)) and data adj packet	USPAT; US-PGPUB	2003/01/27 10:24
-	470	((low full sleep) near3 (mode state) with (transmit\$5 receiv\$5)) and data adj packet) and @ad<=19980930	USPAT; US-PGPUB	2003/01/27 10:30
-	930	low adj3 power adj3 (mode state) with (transmit\$5 receiv\$5)	USPAT; US-PGPUB	2003/01/27 10:35
-	103	(low adj3 power adj3 (mode state) with (transmit\$5 receiv\$5)) and packet and @ad<=19980930	USPAT; US-PGPUB	2003/01/27 11:12
-	1	("6236674").PN.	USPAT; US-PGPUB	2003/01/29 10:44
-	7	((("6236674") or ("6049885") or ("6320879") or ("5805597") or ("6167078") or ("5963650") or ("6434395")).PN.	USPAT; US-PGPUB	2003/01/29 10:46
-	982	(370/465).CCLS.	USPAT; US-PGPUB	2003/01/29 13:00
-	92339	@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state))	USPAT; US-PGPUB	2003/01/29 13:07
-	999	(370/466-467).CCLS.	USPAT; US-PGPUB	2003/01/29 13:06
-	26	((370/465).CCLS.) and (@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state)))	USPAT; US-PGPUB	2003/01/29 13:06
-	176	(370/493).CCLS.	USPAT; US-PGPUB	2003/01/29 13:08
-	13	((370/493).CCLS.) and (@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state)))	USPAT; US-PGPUB	2003/01/29 13:08
-	576	(370/395.1,395.2,395.21,395.52).CCLS.	USPAT; US-PGPUB	2003/01/29 13:09
-	4	(@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state))) and ((370/395.1,395.2,395.21,395.52).CCLS.)	USPAT; US-PGPUB	2003/01/29 13:11
-	1821	(370/351-352).CCLS.	USPAT; US-PGPUB	2003/01/29 13:11
-	24	(@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state))) and ((370/351-352).CCLS.)	USPAT; US-PGPUB	2003/01/29 13:11
-	1235	(370/389).CCLS.	USPAT; US-PGPUB	2003/01/29 13:11

-	234	(370/311).CCLS.	USPAT; US-PGPUB	2003/01/29 13:12
-	128	(370/318).CCLS.	USPAT; US-PGPUB	2003/01/29 13:12
-	399	(370/328).CCLS.	USPAT; US-PGPUB	2003/01/29 13:12
-	30	((370/328).CCLS.) and (@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state)))	USPAT; US-PGPUB	2003/01/29 13:12
-	336	(370/332-333).CCLS.	USPAT; US-PGPUB	2003/01/29 13:13
-	40	((370/332-333).CCLS.) and (@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state)))	USPAT; US-PGPUB	2003/01/29 13:13
-	321	(370/242).CCLS.	USPAT; US-PGPUB	2003/01/29 13:13
-	12	((370/242).CCLS.) and (@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state)))	USPAT; US-PGPUB	2003/01/29 13:15
-	1815	(375/219,222).CCLS.	USPAT; US-PGPUB	2003/01/29 13:15
-	187	((375/219,222).CCLS.) and (@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state)))	USPAT; US-PGPUB	2003/01/29 13:15
-	1643	(713/300,320,323,324).CCLS.	USPAT; US-PGPUB	2003/01/29 13:15
-	299	(455/7,13.4).CCLS.	USPAT; US-PGPUB	2003/01/29 13:17
-	50	((455/7,13.4).CCLS.) and (@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state)))	USPAT; US-PGPUB	2003/01/29 13:17
-	677	((713/300,320,323,324).CCLS.) and (@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state)))	USPAT; US-PGPUB	2003/01/29 14:02
-	25	((@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state))) and ((370/466-467).CCLS.)	USPAT; US-PGPUB	2003/01/29 15:52
-	16	((370/389).CCLS.) and (@ad<=19980930 and (((low full) near3 power) sleep adj2 (mode state)))	USPAT; US-PGPUB	2003/01/29 15:55